

Practical Considerations – Cognitive Disorders Post-Stroke

References

Alberta Provincial Stroke Strategy. (n.d.) *Stroke 101: The Basics*. Retrieved November 26, 2008 from http://www.strokestrategy.ab.ca/mod_core101.html

American Psychiatric Association (1994). *Quick Reference to the Diagnostic Criteria From DSM-IV*. American Psychiatric Association: Washington.

Barnes, D. E., Alexopoulos, G. S., Lopez, O. L., Williamson, J. D., & Yaffe, K. (2006). Depressive symptoms, vascular disease, and mild cognitive impairment. *Archives of General Psychiatry*, *63*, 273-280.

Bravo, G., & Hébert, R. (1997). Age- and education-specific reference values for the Mini-Mental and Modified Mini-Mental State Examinations derived from a non-demented elderly population. *International Journal of Geriatric Psychiatry*, *12*, 1008-1018.

Cappa, S. F., Benke, T., Clarke, S., Rossi, B., Stemmer, B., & van Heugten, C. M. (2003). EFNS guidelines on cognitive rehabilitation: Report of an EFNS Task Force. *European Journal of Neurology*, *10*, 11-23.

Chatfield, M., Matthews, F. E., & Brayne, C. (2007). Using the Mini-Mental State Examination for tracking cognition in the older population based on longitudinal data. *Journal of the American Geriatrics Society*, *55*, 1066-1071.

Cicerone, K. D., Dahlberg, C., Kalmar, K., Langenbahn, D. M., Malec, J. F. et al. (2000). Evidence-based cognitive rehabilitation: Recommendations for clinical practice. *Archives of Physical Medicine and Rehabilitation*, *81*, 1596- 1615.

Cicerone, K. D., Dahlberg, C., Malec, J. F., Langenbahn, D. M., Felicetti, T. et al. (2005). Evidence-based cognitive rehabilitation: Updated review of the literature from 1998 through 2002. *Archives of Physical Medicine and Rehabilitation*, *86*, 1681-1692.

Crum, R. M., Anthony, J. C., Bassett, S. S., & Folstein, M. F. (1993). Population-based norms for the Mini-Mental State Examination by age and educational level. *Journal of the American Medical Association*, *18*, 2386-2391.

Dick, J. P. R., Builoff, R. J., & Stewart, A. (1984). Mini-Mental State Examination in neurological patients. *Journal of Neurology and Neurosurgical Psychiatry*, *47*, 499.

Dufouil, C., Godin, O., Chalmers, J., Coskun, O., MacMahon, S. et al. (2009). Severe cerebral white matter hyperintensities predict severe cognitive decline in patients with cerebrovascular disease history. *Stroke*, *40*, 2219-2221.

Drane, D. L., Yuspeh, R. L., Huthwaite, J. S., Klingler, L. K., Foster, L. M., Mrazik, M., & Axelrod, B. N. (2003). Healthy older adult performance on a modified version of the

Cognistat (NCSE): Demographic issues and preliminary normative data. *Journal of Clinical and Experimental Neuropsychology*, 25(1), 133-144.

Elkins, J. S., O'Meara, E. S., Longstreth, W. T., Carlson, M. C., Manolio, T. A., & Johnston, S. C. (2004). Stroke risk factors and loss of high cognitive function. *Neurology*, 63, 793-799.

Heart and Stroke Foundation of Ontario. (2002). *Tips and Tools for Everyday Living: A Guide for Stroke Caregivers*. Author: Toronto.

Henon, H., Lebert, F., Durieu, O., Godefroy, O., Lucas, C., Pasquier, F., & Leys, D. (1999). Confusional state in stroke: Relation to preexisting dementia, patient characteristics, and outcome. *Stroke*, 30, 773-779.

Hensel, A., Angermeyer, M. C., & Riedel-Heller, S. G. (2007). Measuring cognitive change in older adults: Reliable change indices for the Mini-Mental State Examination. *Journal of Neurology, Neurosurgery and Psychiatry*, 78, 1298-1303.

Ingles, J. L., Wentzel, C., Fisk, J. D., & Rockwood, K. (2002). Neuropsychological predictors of incident dementia in patients with vascular cognitive impairment, without dementia. *Stroke*, 33, 1999-2002.

Inouye, S. K., Bogardus, S. T. Jr., Charpentier, P. A., Leo-Summers, L., et al. (1999). A multicomponent intervention to prevent delirium in hospitalized older patients. *The New England Journal of Medicine*, 340(9), 669-677.

Inouye, S. K. (2006). Delirium in older persons. *The New England Journal of Medicine*, 354(11), 1157-1168.

Lieberman, D., Galinsky, D., Fried, V., Grinshpun, Y., Mytlis, N., Tylis, R., & Lieberman, D. (1999). Factors affecting the results of the clock drawing test in elderly patients hospitalized for physical rehabilitation. *International Journal of Geriatric Psychiatry*, 14, 325-330.

Lindsay, P., Bayley, M., Hellings, C., Hill, M., Woodbury, E., Phillips, S. (2008). Canadian best practice recommendations for stroke care (updated 2008). *Canadian Medical Association Journal*, 179(12), S1-S25.

Marcopulos, B. A., & McLain, C. A. (2003). Are our norms "normal"? A 4-year follow-up study of a biracial sample of rural elders with low education. *The Clinical Neuropsychologist*, 17(1), 19-33.

Meagher, D. J. (2001). Delirium: optimising management. *British Medical Journal*, 322, 144-149.

Nasreddine, Z. S., Phillips, N. A., Bedirian, V., Charonneau, S., Whitehead, V., Collin, I., Cummings, J. L., & Chertkow, H. (2005). The Montreal Cognitive Assessment, MoCA: A brief screening tool for mild cognitive impairment. *Journal of the American Geriatrics Society*, 53: 695-699.

- Nokleby, K., Boland, E., Bergersen, H., Schanke, A.-K., Farner, L., Wagle, J., & Bruun Wyller, T. (2008). Screening for cognitive deficits after stroke: A comparison of three screening tools. *Clinical Rehabilitation*, *22*, 1095-1104.
- Popovic, I., Seric, V., & Demarin, V. (2007). Mild cognitive impairment in symptomatic and asymptomatic cardiovascular disease. *Journal of the Neurological Sciences*, *257*(1-2), 185-193.
- Räihä, I., Isoaho, R., Ojanlatva, A., Viramo, P., Sulkava, R., & Kivelä, S.-L. (2001). Poor performance in the Mini-Mental State Examination due to causes other than dementia. *Scandinavian Journal of Primary Health Care*, *19*, 34-38.
- Rasquin, S. M., Lodder, J., Verhey, F. R. (2005). Predictors of reversible mild cognitive impairment after stroke: A 2-year follow-up study. *Journal of the Neurological Sciences*, *229-230*, 21-25.
- Richardson, H. E., & Glass, J. N. (2002). A comparison of scoring protocols on the clock drawing test in relation to ease of use, diagnostic group and correlations with Mini-Mental State Examination. *Journal of the American Geriatrics Society*, *50*, 169-173.
- Rockwood, K. (2002). Vascular cognitive impairment and vascular dementia. *Journal of the Neurological Sciences*, *203-204*, 23-27.
- Royall, D. R., Mulroy, A. R., Chiodo, L. K., & Polk, M. J. (1999). Clock drawing is sensitive to executive control: A comparison of six methods. *Journal of Gerontology: Psychological Sciences*, *54B*(5), P328-P333.
- Salter, K., Teasell, R., Bitensky, J., Foley, N., & Bhogal, S. K. (2008). Cognitive Disorders and Apraxia. In *Evidence-Based Review of Stroke Rehabilitation*. Retrieved August 11, 2008 from www.ebrsr.com
- Sheng, A. Z., Shen, Q., Cordato, D., Zhang, Y. Y., & Chan, D. K. Y. (2006). Delirium within three days of stroke in a cohort of elderly patients. *Journal of the American Geriatrics Society*, *54*, 1192-1198.
- Shulman, K. I., Shedersky, R., & Silver, I. L., (1986). The challenge of time: clock-drawing and cognitive function in the elderly. *International Journal of Geriatric Psychiatry*, *1*, 135-140.
- Smith, T., Gildeh, N., & Holmes, C. (2007). The Montreal Cognitive Assessment: Validity and utility in a memory clinic setting. *Journal of Psychiatry*, *52*, 329-332.
- Stephens, S., Kenny, R. A., Rowan, E., Allan, L., Kalaria, R. N., Bradbury, M., & Ballard, C. G. (2004). Neuropsychological characteristics of mild vascular cognitive impairment and dementia after stroke. *International Journal of Psychiatry*, *19*, 1053-1057.
- Stone, J., Townend, E., Kwan, J., Haga, K., Dennis, M. S., & Sharpe, M. (2004). Personality change after stroke: Some preliminary observations. *Journal of Neurology, Neurosurgery, and Psychiatry*, *75*, 1708-1713.

Suhr, J. A., & Grace, J. (1999). Brief cognitive screening of right hemisphere stroke: Relation to functional outcome. *Archives of Physical Medicine and Rehabilitation*, 80, 773-776.

Suhr, J. A., Grace, J., Allen, J., Nadler, J., & McKenna, M. (1998). Quantitative and qualitative performance of stroke versus normal elderly on six clock drawing systems. *Archives of Clinical Neuropsychology*, 13(6), 495-502.

Talelli, P., Ellul, J., Terzis, G., Lekka, N. P., Giokiasis, A., Chrysanthopoulou, A., & Papapetropoulos, Th. (2004). Common Carotid artery intima media thickness and post-stroke cognitive impairment. *Journal of the Neurological Sciences*, 223, 129-134.

Teasell, R., Bayona, N., & Heitzner, J. (2008). Clinical Consequences of Stroke. In *Evidence-Based Review of Stroke Rehabilitation*. Retrieved August 11, 2008 from www.ebrsr.com

Vertesi, A., Lever, J. A., Molloy, D. W., Sanderson, B., Tuttle, I., Pokaradi, L., & Principi, E. (2001). Standardized Mini-Mental State Examination. Use and Interpretation. *Canadian Family Physician*, 47, 2018-2023.

Wai-Kwong Man, D., Fai Tam, S., & Hui-Chan, C. (2006). Prediction of functional rehabilitation outcomes in clients with stroke. *Brain Injury*, 20(2), 205-211.

Waszynski, C. M., (2007). How to try this: Detecting delirium. *American Journal of Nursing*, 107(12), 50-59.

Weber, J. B., Coverdale, J. H., & Kunik, M. E. (2004). Delirium: Current trends in prevention and treatment. *Internal Medicine Journal*, 34, 115-121.