

Practical Considerations Visual-Perceptual Disorders

References

- Appelros, P., Karlsson, G. M., Seiger, A., & Nydevik, I. (2002). Neglect and anosognosia after first-ever stroke: Incidence and relationship to disability. *Journal of Rehabilitation Medicine*, 34, 215-230.
- Appelros, P., Nydevik, I., Karlsson, G. M., Thorwalls, A., & Seiger, A. (2004). Recovery from unilateral neglect after right-hemisphere stroke. *Disability and Rehabilitation*, 26(8), 471-477.
- Barer, D. H., Edmans, J. A., & Lincoln, N. B. (1990). Screening for perceptual problems in acute stroke patients. *Clinical Rehabilitation*, 4, 1-11.
- Bogousslavsky J., & Caplan, L. R. (Eds.). (2001). *Stroke Syndromes*. Cambridge University Press: Cambridge.
- Cappa, S. F., Benke, T., Clarke, S., Rossi, B., Stemmer, B., & van Heugten, C. M. (2003). EFNS guidelines on cognitive rehabilitation: Report of an EFNS Task Force. *European Journal of Neurology*, 10, 11-23.
- Cappa, S. F., Benke, T., Clarke, S., Rossi, B., Stemmer, B., & van Heugten, C. M. (2005). EFNS guidelines on cognitive rehabilitation: Report of an EFNS Task Force. *European Journal of Neurology*, 12, 665-680.
- Cicerone, K. D., Dahlberg, C., Kalmar, K., Langenbahn, D. M., Malec, J. F., et al. (2000). Evidence-based cognitive rehabilitation: Recommendations for clinical practice. *Archives of Physical Medicine and Rehabilitation*, 81, 1596-1615.
- Cramond, H. J., Clark, M. S., & Smith, D. S. (1989). The effect of using the dominant or nondominant hand on performance of the Rivermead Perceptual Assessment Battery. *Clinical Rehabilitation*, 3, 215-221.
- Donnelly, S. (2002). The Rivermead Perceptual Assessment Battery: Can it predict functional performance? *Australian Occupational Therapy Journal*, 49(2), 71-81.
- Donnelly, S. M., Hextell, D., & Matthey, S. (1998). The Rivermead Perceptual Assessment Battery: Its relationship to selected functional activities. *British Journal of Occupational Therapy*, 61(1), 27-32.

Eskes, G. A., & Butler, B. C. (2001). Rehabilitation of Unilateral Neglect. *Geriatrics and Aging*, 4(9), 42-45.

Jutai, J. W., Bhogal, S. K., Foley, N. C., Bayley, M., Teasell, R. W., & Speechley, M. R. (2003). Treatment of Visual Perceptual Disorders Post Stroke. *Topics in Stroke Rehabilitation* 10(2), 77-106.

Khan, S., Leung, E., & Walter, M. J. (2008). Stroke and visual rehabilitation. *Topics in Stroke Rehabilitation* 15(1), 27-36.

Lincoln, N. B., & Clarke, D. (1987). The performance of normal elderly people on the Rivermead Perceptual Assessment Battery. *British Journal of Occupational Therapy*, 50(5), 156-157.

Lindsay, P., Bayley, M., Hellings, C., Hill, M., Woodbury, E., Phillips, S., & Standards Writing Group. (2008). Canadian best practice recommendations for stroke care (updated 2008). *Canadian Medical Association Journal*, 179(12), S1-S25.

Lotery, A. J., Wiggam, M. I., Jackson, A. J., Silvestri, G., Refson, K., Fullerton, K. J., Gilmore, D. H., & Beringer, T. R. O. (2000). Correctable visual impairments in stroke rehabilitation patients. *Age and Ageing*, 29, 221-222.

Matthey, S., Donnelly, S. M., & Hextell, D. L. (1993). The clinical usefulness of the Rivermead Perceptual Assessment Battery: Statistical considerations. *British Journal of Occupational Therapy*, 56(10), 365-370.

Menon, A., & Korner-Bitensky, N. (2004). Evaluating unilateral neglect post-stroke: Working your way through the maze of assessment choices. *Topics in Stroke Rehabilitation*, 11, 41-66.

Menon-Nair, A., Korner-Bitensky, N., & Ogourtsova, T. (2007). Occupational therapists' identification, assessment, and treatment of unilateral spatial neglect during stroke rehabilitation in Canada. *Stroke*, 38, 2556-2562.

McIntosh, R. D., Brodie, E. E., Beschin, N., & Robertson, I. H. (2000). Improving the clinical diagnosis of personal neglect: A reformulated comb and razor test. *Cortex*, 36, 289-292.

Pederson, P. M., Jorgensen, H. S., Nakayama, H., Raaschou, H. O., & Olsen, T. X. (1997). Hemineglect in acute stroke- incidence and prognostic implications. *American Journal of Physical Medicine and Rehabilitation*, 76, 122-127.

Salter, K., Bitensky, J., Bhogal, S. K., Foley, N., Menon, A., & Jutai, J. (2009). Perceptual Disorders. Retrieved January 27, 2010 from www.ebrsr.com

StrokEngine Assess. (n.d.) The Motor-Free Visual Perception Test. Retrieved March 17, 2010 from http://www.medicine.mcgill.ca/Strokengine-assess/module_mvpt_indepth-en.html

Teasell, R., Bayona, N., & Heitzner, J. (2008). Clinical Consequences of Stroke. Retrieved January 27, 2010 from www.ebrsr.com

Vahlberg, B., & Hellstrom, K. (2008). Treatment and assessment of neglect after stroke- from a physiotherapy perspective: A systematic review. *Advances in Physiotherapy*, 10, 178-187.

Whiting, S., Lincoln, N., Bhavnani, G., & Cockburn, J. (1985). Rivermead Perceptual Assessment Battery. Windsor, England: NFER-NELSON.

Zeltzer, L. & Menon, A. (n.d.). Line Bisection Test. Retrieved January 27, 2010 from http://www.medicine.mcgill.ca/strokengine-assess/module_lbt_intro-en.html